

15 Abstract

physiology. Artificial light at night (ALAN) – a recent and pervasive form of pollution – can mask natural photoperiodic cues and interfere with biological rhythms. One such rhythm vulnerable to
 perturbation is the sleep-wake cycle. ALAN may greatly influence sleep in humans and wildlife, particularly in animals that sleep predominantly at night. There has been some recent evidence for impacts of ALAN on sleep, but critical questions remain. Some of these can be addressed by adopting approaches already entrenched in sleep research. In this paper, we review the current evidence for impacts of ALAN on sleep, highlight gaps in our understanding, and suggest

Natural cycles of light and darkness govern the timing of most aspects of animal behaviour and

25 opportunities for future research.

Keywords: anthropogenic light, ALAN, circadian rhythms, electroencephalogram, pollution,



Research Highlights

30

Artificial light at night can have profound impacts on sleep. We review the evidence for these

impacts and provide a prospectus for future research.



Introduction

Endogenous daily (or circadian) rhythms underpin almost all biological processes and are critical for maximizing fitness (Aschoff, 1989, DeCoursey, Walker, & Smith, 2000, Greives et al., 2015). Circadian rhythms evolved under a predictable, 24-hour cycle of light and darkness, and allow organisms to synchronise their biology with predictable daily changes in their environment (Aschoff, 1989, Kronfeld-Schor, Visser, Salis, & van Gils, 2017). Coordination with the environment is achieved via environmental cues, called *zeitgebers*, which entrain or synchronise the internal pacemaker system

40 (Aschoff, 1965). The most important *zeitgeber* is light (Aschoff, 1989, Berson, Dunn, & Takao, 2002, Czeisler et al., 1986, Panda, Hogenesch, & Kay, 2002). Loss or disruption of circadian rhythms, and the subsequent de-synchronization of physiological processes, can have detrimental outcomes for health (Alibhai, Tsimakouridze, Reitz, Pyle, & Martino, 2015, Martino et al., 2008) and survival (DeCoursey et al., 2000).

45

In animals, the sleep-wake cycle is arguably the most conspicuous, ubiquitous, and important circadian rhythm. All animals – even simple animals, including jellyfish (Nath et al., 2017) and flatworms (Omond et al., 2017) – sleep. Sleep can have important benefits for development and learning (Derégnaucourt, Mitra, Fehér, Pytte, & Tchernichovski, 2005, Kayser, Yue, & Sehgal, 2014),
attention, motivation and emotional reactivity (Van Dongen, Maislin, Mullington, & Dinges, 2003), hand-eye coordination (Dawson & Reid, 1997), memory (Diekelmann & Born, 2010), immune function (Imeri & Opp, 2009), neurological waste clearance (Xie et al., 2013), and energy homeostasis (Schmidt, 2014, Schmidt, Swang, Hamilton, & Best, 2017). However, sleep also

precludes other vital activities, such as foraging, anti-predator vigilance, and mating (Kronfeld-Schor

- 55 & Dayan, 2003, Lesku et al., 2012, Lima, Rattenborg, Lesku, & Amlaner, 2005, Roth, Rattenborg, & Pravosudov, 2010). To balance these requirements, species have evolved diverse patterns of sleep and wakefulness (Lesku, Roth, Amlaner, & Lima, 2006), shaped by complex interactions with predators, competitors, food availability, and other factors (Acerbi & Nunn, 2011, Lesku, Roth, Rattenborg, Amlaner, & Lima, 2009). These daily sleep-wake patterns, whether nocturnal or diurnal,
- are often regulated, at least in part, by light (Dijk & Archer, 2009, Fisher, Foster, & Peirson, 2013).

Within the past century, natural light cycles have become distorted by the presence of artificial light at night (ALAN; Gaston, Davies, Nedelec, & Holt, 2017). Moreover, light pollution has become a rapidly increasing and global phenomenon (Davies & Smyth, 2018, Falchi et al., 2016, Kyba et al.,

2017), promoting concerns about the possible negative impacts of ALAN on sleep in humans
(Czeislei, 2013, Erren & Reiter, 2009, Navara & Nelson, 2007, Pauley, 2004, Stevens et al., 2007,
Stevens & Zhu, 2015) and wildlife (Dominoni, Borniger, & Nelson, 2016, Dominoni, Goymann, Helm,
& Partecke, 2013a, Gaston et al., 2017, Randler, 2014). In species that sleep predominantly at night,
sleep is particularly likely to be disrupted by ALAN, and there is now evidence that diurnal songbirds
exposed to ALAN commence their activity earlier (Da Silva, Samplonius, Schlicht, Valcu, &
Kempenaers, 2014, Da Silva, Valcu, & Kempenaers, 2016, de Jong et al., 2016, Kempenaers,
Borgstrom, Loës, Schlicht, & Valcu, 2010, Nordt & Klenke, 2013, Spoelstra, Verhagen, Meijer, &
Visser, 2018; but see Da Silva et al., 2017a) and are active for longer each day (Da Silva, Diez-Méndez, & Kempenaers, 2017b, de Jong et al., 2016, Dominoni, Helm, Lehmann, Dowse, & Partecke,
2013b, Russ, Rtiger, & Klenke, 2014). The intensities of ALAN experienced by some urban birds,

mammals, and fish (approximately 0.3 – 1 lux) can also suppress their production of melatonin (Brüning, Hölker, Franke, Preuer, & Kloas, 2015, Dominoni et al., 2013a, Robert, Lesku, Partecke, & Chambers, 2015), a hormone that promotes sleep in diurnal species (Gandhi, Mosser, Oikonomou, & Prober, 2015, Tan et al., 2010).

80

While a connection between ALAN and sleep has been deemed 'intuitive' (Chepesiuk, 2009), research outcomes are often conflicting and our understanding is far from complete. For example, some studies indicate that ALAN reduces sleep duration in humans (Cho et al., 2016, de la Iglesia et al., 2015, Ohayon & Milesi, 2016), while others show no such effect (Beale et al., 2017, Chang,

- Aeschbach, Duffy, & Czeisler, 2014, Cho, Joo, Koo, & Hong, 2013, Samson et al., 2017b, Wams et al., 2017). Even without affecting the duration of sleep, exposure to ALAN can disrupt the timing and composition of sleep (Beale et al., 2017, Chang et al., 2014, Chellappa et al., 2013, Cho et al., 2016, Cho et al., 2013, Santhi et al., 2012, Wams et al., 2017), but few studies have investigated such impacts in real-world settings (Aulsebrook, Jones, Rattenborg, Roth, & Lesku, 2016, but see Wams et al.)
- al., 2017). Furthermore, interspecific variation and methodological differences between studies –
 including different light exposures and methods for measuring sleep can make results difficult to
 compare and generalise. Nevertheless, there is mounting evidence from laboratory animals,
 humans, and wildlife demonstrating impacts of ALAN on sleep. Here, we summarise the existing
 evidence, focussing mostly on diurnal animals, whose sleep is most likely to be adversely affected by

95 light at night. We then highlight the current gaps in our understanding and provide a prospectus for future research.

anuscri **C T**

Laboratory-based sleep studies: mechanisms and physiology

100

120

Our understanding of sleep comes primarily from the laboratory, where sleep is easiest to record. Sleep is typically characterized by a rapidly-reversible, homeostatically-regulated state of reduced responsiveness, accompanied by behavioural quiescence, and changes in the electrical activity of the nervous system (Joner, 2016). In neuroscientific studies, the 'gold-standard' approach to measuring sleep is with recordings of electrical activity in the brain, often the electroencephalogram (EEG). These recordings show that mammals and birds have two main sleep states: rapid-eye movement (REM) and non REM sleep (Lesku & Rattenborg, 2014, Vyazovskiy & Delogu, 2014). Rapid-eye movement sleep is characterised by small, fast waves of electrical activity, while non-REM sleep (referred to as slow wave sleep in non-human animals) is characterised by large, slow brain waves. The size and incidence of slow waves during non-REM sleep (i.e. low-frequency power density, or 'slow wave activity') is used as a proxy for sleep depth and intensity, as greater slow wave activity is associated with deeper, more intense sleep (Tobler, 2011). Until recently, it was only possible to record brain activity in a laboratory setting, owing to technological constraints in the size of

recording equipment (Aulsebrook et al., 2016, Rattenborg et al., 2017).

Light can affect sleep in several ways. First, exposure to light entrains sleep's circadian rhythm, primarily by suppressing the photosensitive pathway of melatonin (Axelrod, Wurtman, & Snyder, 1965, Berson et al., 2002, Reiter, Tan, & Fuentes-Broto, 2010). This pathway is most sensitive to short or blue (460-480 nm) wavelengths of light (Berson et al., 2002, Czeisler et al., 1986, Reiter et

al., 2010). Light at night can therefore disrupt circadian rhythms (Dominoni et al., 2016, Stevens & Zhu, 2015, Yadav, Verma, & Singh, 2017), which not only shifts the timing of the sleep-wake cycle, but also dampens its rhythm (Dijk & Archer, 2009, Fisher et al., 2013). Second, exposure to light can have direct effects on sleep and wakefulness, without necessarily affecting circadian rhythms

(Altimus et al., 2008, Cajochen, Zeitzer, Czeisler, & Dijk, 2000, Chang, Scheer, Czeisler, & Aeschbach, 2013, Chen et al., 2017, Gandhi et al., 2015, Rattenborg, Obermeyer, Vacha, & Benca, 2005). Finally, light at night can allow animals that are normally diurnal to extend their activity into the night (e.g. Bakken & Bakken, 1977, Gaston et al., 2017, Santos et al., 2010, Stracey, Wynn, & Robinson, 2014; reviewed by Gaston et al., 2017). Thus, there is compelling reason to expect impacts of ALAN on sleep, although the relative contributions of different mechanisms can be difficult to disentangle.

To investigate how exposure to light affects sleep, many studies have used nocturnal rodents as
laboratory models. Such studies have typically compared more naturalistic light cycles (12:12
light:dark) unin constant light, constant darkness, or exposure to bright daytime light during the
usual dark phase (e.g. Benca, Gilliland, & Obermeyer, 1998, Phillips, Savenkova, & Karatsoreos, 2015, Stephenson, Lim, Famina, Caron, & Dowse, 2012, Tobler, Franken, Alföldi, & Borbély, 1994). In
addition, two studies have investigated the effects of more ecologically-relevant 'dim' ALAN on
sleep. These studies found no effects of 'dim' ALAN (5 lux) on total sleep duration in rats (Stenvers et al., 2016) or mice (Borniger, Weil, Zhang, & Nelson, 2013), which is consistent with the idea that
ALAN may have little or no negative effect on sleep in nocturnal animals (Borniger et al., 2013).
However, exposure to 'dim' ALAN affected sleep-wake rhythms in rats, causing them to redistribute daytime sleep the night (Stenvers et al., 2016). Such effects on sleep timing could have

important ecological consequences, including increased competition between diurnal and nocturnal species. Nevertheless, the degree to which observations can be generalised to other contexts is

unclear (Calisi & Bentley, 2009, Horne, 2013). Effects of light exposure can vary even among different rat strains, with albino rats showing different responses to disruptive light cycles than pigmented rats (Benca et al., 1998). Many strains of laboratory mice are also melatonin-deficient (Kasahara, Abe, Mekada, Yoshiki, & Kato, 2010), which could influence study outcomes. Importantly, nocturnal rodents are also very limited as a model for how ALAN affects humans and other diurnal species, given that light affects nocturnal and diurnal species in different ways.

In diurnal species, laboratory studies have typically found effects of ALAN on sleep. In pigeons (*Columba livia*), continuous exposure to artificial light strongly suppresses or even eliminates sleep (Berger & Phillips, 1994, Phillips & Berger, 1992), although the classification of sleep in these studies

likely affected the interpretation of the results (Martinez-Gonzalez, Lesku, & Rattenborg, 2008).
Another study of pigeons found that changing from a 12:12 light:dark cycle to a 3:3 cycle also reduced sleep behaviour (defined by eye closure; Rattenborg et al., 2005). However, laboratory research has generally neglected the effects of more realistic ALAN exposures on diurnal species, besides humans. In humans, exposure to artificial light in the evening or throughout the night can
variously delay sleep onset (Chang et al., 2014, Santhi et al., 2012; reviewed by Cho et al., 2015), cause more frequent awakenings from sleep (Chellappa et al., 2013, Cho et al., 2013), decrease total sleep duration (Cho et al., 2016) or sleep intensity (Chellappa et al., 2013), and alter the relative proportions of REM and non-REM sleep (Chang et al., 2014, Cho et al., 2016, Cho et al., 2013). Nevertheless, exact outcomes vary between studies. For example, Cho et al. (2013) found no effect

of bright bedside light (40 lux) on total sleep duration, whereas Cho et al. (2016) found that
 comparatively dim light at night (5 or 10 lux) decreased total sleep duration. Similarly, Chang et al.
 (2014) found that use of a light-emitting e-Reader before bedtime increased the time needed to fall
 asleep (sleep latency) and decreased REM sleep, yet Rångtell et al. (2016) observed no effect of e Reader use on sleep.

170

Inconsistent findings could be explained by multiple factors. They may be partly due to small sample sizes, given that many studies have been of fewer than 20 subjects. In addition, the effects of light at night on sleep and alertness can depend on the spectra (Ayaki et al., 2016, Chellappa et al., 2013, Santhi et al., 2012), timing (Carrier & Dumont, 1995), duration (Chang et al., 2012), and intensity (Cajochen et al., 2000) of the light exposure, as well as prior exposure to light (Chang, Scheer, & 175 Czeisler, 2011, Chang et al., 2013). It is therefore critically important for studies to report this information to facilitate comparisons between studies and replication of research. Notably, many studies (of humans and other species) fail to provide sufficient spectral information, even though short (blue) wavelengths of light are known to have the greatest impact on melatonin production, 180 circadian rhythms and alertness (Berson et al., 2002, Czeisler et al., 1986). A final consideration is that there are also limitations of recording sleep in the laboratory. Homogenous laboratory lighting may not capture the spatial and temporal heterogeneity of light exposure in urban environments and homes (Gaston, Duffy, Gaston, Bennie, & Davies, 2014). Furthermore, in the laboratory, an individual's behaviour may be restricted or otherwise influenced by their unusual sleeping 185 environment. To understand the impacts of ALAN, we therefore also need to complement these studies with research in real-world settings (Aulsebrook et al., 2016).

anuscr **t**

Human sleep: real-world comparisons

190

Historical research indicates that prior to the introduction of electric light, human sleep patterns differed from those of today. Instead of sleeping in a single consolidated episode each night (monophasic sleep), people slept in two bouts (biphasic sleep), each of which lasted a few hours with a bout of wakefulness in between (Ekirch, 2001, 2015, 2016). This has led to conjecture that 195 artificial light has caused an 'unnatural' shift in human sleep, whereby people now stay awake later and condense their sleep into a shorter period. Accordingly, a laboratory study found that people adopted biphasic sleep when exposed to 14 hours of darkness each night (Wehr, 1992). There is also evidence of biphasic sleep in some contemporary communities without electricity (Samson et al., 2017b), but not others (Beale et al., 2017, de la Iglesia et al., 2015, Peixoto, da Silva, Carskadon, & Louzada, 2009, Samson, Crittenden, Mabulla, Mabulla, & Nunn, 2017a, Yetish et al., 2015). Despite 200 some dispute about the likely origins of biphasic sleep in humans (Ekirch, 2016, Yetish et al., 2015), sleep in western societies has clearly changed in recent history (Ekirch, 2015). However, since the invention and widespread use of electric light, there have been other social, cultural, and technological changes that are also likely to have affected sleep (e.g. Gradisar et al., 2013). It is 205 therefore difficult to isolate the role of artificial light on sleep from historical records alone.

Cross-sectional and comparative studies provide additional support for impacts of artificial light on sleep. People in communities with access to electricity tend to go to sleep later than those without (Beale et al., 2017, de la Iglesia et al., 2015, Peixoto et al., 2009) and, in some cases, also sleep less

210 (de la Iglesia et al., 2015). In the United States, people exposed to higher-intensity outdoor light at night also report delayed bedtimes, later wake-up times, shorter sleep durations, and increased daytime sleepiness (Ohayon & Milesi, 2016). Similarly, the use of light-emitting technology before sleep is associated with increased sleep latency and decreased sleep duration (Hysing et al., 2015), while exposure to light later in the evening is associated with delayed sleep times and increased 215 awakenings, but no difference in sleep duration (Wams et al., 2017). Such studies are somewhat limited by the methods used to measure sleep; almost all rely on actigraphy or questionnaires (but see Wams et al., 2017). These techniques are valuable, but less accurate and comprehensive than measurements of brain state (Marino et al., 2013, Paquet, Kawinska, & Carrier, 2007, Westerlund, Lagerros, Kecklund, Axelsson, & Akerstedt, 2016). Moreover, sleep need builds as a function of prior 220 sleep-wake history and the intensity of brain use during that wakefulness (Huber et al., 2006, Lesku, Vyssotski, Martinez-Gonzalez, Wilzeck, & Rattenborg, 2011b, Tobler, 2011). If exposure to light at night is associated with different waking experiences, this could have a confounding effect on the timing and duration of sleep. For example, in a study by Beale et al. (2017), people from a rural community without electricity were also doing much more intense physical labour than those in the 225 urban community with electricity. As with historical studies, it is therefore challenging to isolate the effects of ALAN from other factors.

An alternative and powerful approach can be to experimentally manipulate evening or night-time light exposure in people's homes. Very few sleep studies have adopted this approach, presumably 230 due to the combined challenges of recording sleep and adhering to experimental protocols in the home environment. Interestingly, when people "maximised" their home light exposure to 46-82 lux

in the evening, they went to bed only slightly later (average difference 14 minutes) than when they "minimised" their exposure to 1-5 lux and wore short-wavelength-blocking glasses (Burgess & Molina, 2014). Furthermore, there was no effect on wake time or total sleep duration, despite

- 235 impacts on circadian timing. Similarly, in a rural community in Madagascar, the use of electric field lanterns for one week had no effect on participants' sleep (Samson et al., 2017b). In another study, researchers took eight participants camping without electric lights (Wright et al., 2013). After one week of camping, the participants went to sleep earlier on average, and there was less betweenindividual variability in their sleep timing than when they were at home. Of course, as with
- 240 comparative studies of human sleep, confounding factors such as increased fatigue associated with exercise may have influenced patterns of sleep in this study. Ongoing developments in our ability to record sleep at home, using reasonably cheap and unobtrusive technology (e.g. Winnebeck, Fischer, Leise, & Roenneberg, 2017), will hopefully facilitate further research. Such research could also help to address the extent to which outdoor illumination affects human sleep, and whether illumination
- from indoor lighting and light-emitting screens effectively overwhelms effects from external sources of illumination. It is also worth noting that many people are likely aware that light at night can disrupt sleep, and these expectations could influence study outcomes.

Sleep behaviour in wildlife

250

Sleep in diurnal animals is likely to be affected by illumination from streetlights, security lights and other outdoor lighting intended for human security and entertainment. Research has demonstrated

that ecologically-relevant light intensities can affect sleep behaviour in wildlife. These studies have so far been based exclusively on two songbird species: great tits (*Parus major*) and blue tits

(Cyanistes caeruleus). By video-recording wild blue tits inside their nest boxes, Steinmeyer, Schielzeth, Mueller, & Kempenaers (2010) observed behavioural and postural changes that are thought to be associated with sleep (Amlaner & Ball, 1983, Stuber, Baumgartner, Dingemanse, Kempenaers, & Mueller, 2016). Specifically, a bird was considered asleep when it had its beak tucked backwards beneath its scapulars for at least 30 seconds, and awake when it had not assumed that
posture for at least 10 seconds. Assuming this to be true, birds woke earlier when exposed to higher intensities of light at night. Subsequent studies used LED lights *inside* nest boxes to experimentally manipulate light at night, and record the effects on sleep behaviour using the same definition (Raap, Pinxten, & tens, 2015, 2016, Sun, Raap, Pinxten, & Eens, 2017). Interestingly, exposure to light at night decreased the duration of night-time sleep behaviour in great tits, but not blue tits (Sun et al., 2017), and the effects on female great tits were much greater during the nestling period (Raap et al., 2016).

Field-based studies represent a critical first step towards understanding how ALAN affects sleep in wildlife. However, while the resting behaviour of animals is interesting and informative, it is not
necessarily a good proxy for sleep (Aulsebrook et al., 2016). Some animals can adopt wake-like postures during sleep (Lesku et al., 2011a, Rattenborg et al., 2016), and others can be awake while in ostensibly sleep-like postures (Voirin et al., 2014). Furthermore, sleep behaviour in great and blue tits has not yet been verified with recordings of brain state, meaning that researchers must make assumptions about sleep onset and continuity. Critically, sleep behaviour alone does not inform us

275 about the impacts of ALAN on sleep composition or intensity. This is particularly important since ALAN can affect these factors without affecting total sleep duration (e.g. Chang et al., 2014, Cho et al., 2013, Stenvers et al., 2016). It is also possible that birds sleep less at night when exposed to ALAN, but compensate by sleeping more intensely, or by napping outside their nest box during the day.

280

To expand on observations of sleep behaviour, future research will need to adopt other methods for measuring sleep in the wild. Advances in miniaturisation have given rise to data loggers that can record brain activity in wild animals (Lesku et al., 2012, Rattenborg et al., 2016, Rattenborg et al., 2008, Scriba et al., 2013, Vyssotski et al., 2009). Such EEG data loggers are currently only suitable for 285 animals larger than 100g, which means that they are still too large for use on many songbirds, including blue and great tits, which weigh around 11g and 16g, respectively. However, EEG data loggers could be used in many other study systems, and ongoing miniaturisation of technology is likely to provide further opportunities in the future. Interestingly, the discovery of a biomarker for sleep loss, oxalic acid (Weljie et al., 2015), also shows some promise for determining effects of ALAN 290 on sleep. However, results from two studies in wild great tits are equivocal. Ouyang et al. (2017) found that birds in their 'white light treatment' (roosting up to 160 metres from experimental white LED streetlights) were more active at night than birds in their dark control, red or green light treatments. Greater nocturnal activity was associated with decreasing oxalic acid over the course of the three-month study, potentially reflecting a sleep-deprived condition (but see Raap, Pinxten, & 295 Eens, 2017). Conversely, Raap, Pinxten, & Eens (2018) found that exposure to white ALAN inside the nest box caused an unexpected increase in oxalic acid concentrations in male, but not female,

This article is protected by copyright. All rights reserved.

16

nestlings. Since oxalic acid has so far only been validated as a biomarker for sleep loss in humans and rodents experiencing relatively severe sleep deprivation (Weljie et al., 2015), further validation is

300 **Prospectus for Future Research**

required.

The combined evidence from laboratory experiments, correlational field studies, and field experiments suggests that light at night has the capacity to affect most, and perhaps even all aspects of sleep in diurnal species. Nevertheless, there are other critical questions that still need to be addressed. What are the impacts of real-world light exposures on sleep? Are people and wild animals able to ameliorate such impacts, by retreating to darker refuges to sleep at night? How is sleep in other animals, beyond humans, songbirds and laboratory rodents, affected by ALAN? When ALAN disrupts sleep, what are the 'downstream' costs, and how can these be mitigated? Below, we discuss these questions and possible approaches in further detail.

310

Investigating how ecologically-relevant ALAN affects sleep is fundamental for understanding the scale of its impact. Experimental studies often use light exposures that have unrealistic timing, or that are more intense and spatially homogenous than would be experienced in real-world settings (Santhi et al., 2012). In some studies, light is also presented in an unrealistic manner that might influence sleep via other mechanisms. For example, the introduction of artificial light into a nest box, which is typically darker than the outside environment at night, may create a novel situation that disrupts sleep, rather than the alerting effects of light *per se*. 'Daylight' in laboratory studies is also

typically much dimmer than natural sunlight, which is likely to have subsequent effects on sleep (Wams et al., 2017). On the other hand, field studies that measure the effects of real-life light at

- 320 night are often correlational, and typically rely on behavioural proxies or questionnaires to measure sleep. The use of experimental protocols in real-world settings, together with more advanced techniques for measuring sleep (Aulsebrook et al., 2016), should help to address this major gap in our understanding.
- 325 To better understand how ALAN affects sleep in wildlife, we also need to understand how diurnal animals behave in the presence of ALAN. Since ALAN is spatially heterogeneous, diurnal animals might actively avoid exposure to light at night by retreating to refugia (Dominoni, Carmona-Wagner, Hofmann, Kranstauber, & Partecke, 2014, Longcore & Rich, 2004). Avoidance behaviour could ameliorate some of the negative impacts on sleep, but at the cost of reduced habitat availability,
- 330 increased competition, increased searching time for suitable sleeping sites, or the use of suboptimal sites. Conversely, if animals do not avoid light when sleeping, then they might face a greater risk of predation from visually-orienting predators. Animals might also be able to compensate for lost sleep by sleeping more deeply or sleeping during the day, as observed in migratory Swainson's thrushes (*Catharus ustulatus*; Fuchs, Haney, Jechura, Moore, & Bingman, 2006) and white-crowned sparrows
- 335 (*Zonotrichia leucophrys gambelii*; Rattenborg et al., 2004). However, the thrushes and sparrows were wild-caught birds brought into a laboratory environment, such that it is unknown how they might respond to nocturnal sleep loss in the wild. Even if animals can compensate for nocturnal sleep loss, this behaviour could also lead to other costs, such as decreased foraging time and increased predation risk during the day (Lima et al., 2005).

While we assume that impacts of ALAN on sleep are costly, there is currently little evidence to indicate the specific costs or their extent, or how (if present) they might be mitigated. Behavioural studies typically focus on sleep duration, but sleep intensity and composition might be equally important for fulfilling sleep functions (Joiner, 2016). Furthermore, if sleep requirements vary in wild
animal populations, such that some individuals cope better with less sleep than others, then there could be scope for natural (or sexual) selection to favour reduced sleep need (Lesku et al., 2012). It is also unknown whether humans or animals can habituate to ALAN, allowing the impacts of ALAN on sleep to lessen over time. Given the known physiological pathways by which light at night affects melatonin, circadian rhythms, alertness, and sleep, complete habituation appears unlikely, yet the
possibility is worthy of investigation. In humans, the impacts of ALAN might also increase over time, as our ability to work and socialise after sunset alters societal expectations (Jakle, 2001).

Importantly, current research also lacks taxonomic diversity, as most studies have been restricted to humans, laboratory rodents, and a few species of songbirds. ALAN can have major impacts on the
behaviour and activity of diverse taxonomic groups, including insects (Knop et al., 2017), which suggests it could also have critical impacts on their sleep. Even closely related species or strains may respond differently to ALAN (Benca et al., 1998, also see Da Silva & Kempenaers, 2017, Sun et al., 2017). Expanding the phylogenetic breadth of study species, and investigating how ecological factors may contribute to different responses, would provide a broader understanding of the costs of ALAN
and lead to better management outcomes.

of ALAN on sleep. The most obvious and effective solution would be to eliminate ALAN wherever it is not necessary. However, there are conflicting opinions about what is 'necessary', and many contexts where ALAN may have actual or perceived benefits for humans. In such contexts, mitigation is likely the best solution. Smarter lighting designs can reduce the penetration of light into unwanted or unnecessary areas, such as bedrooms and nature reserves (Gaston, Davies, Bennie, & Hopkins, 2012). Since blue wavelengths of light have the greatest impact on melatonin and circadian rhythms, reducing or filtering out these wavelengths could also reduce impacts of ALAN on sleep. However, 370 studies testing this approach for humans have reported mixed results (Ayaki et al., 2016, Heath et al., 2014, van der Lely et al., 2015), and little is known about whether it would benefit wildlife (Dimovski & Robert, 2018). Other possible solutions include dimming lights or simply switching them off when they are of least benefit to humans (Davies & Smyth 2018). The success of these solutions will depend on how sleep is affected by different timings, durations and intensities of light, for which 375 further research is needed. In all likelihood, the best outcome will involve a combination of approaches, adapted for specific contexts. Importantly, while there are still some critical gaps in our understanding, there is sufficient evidence to warrant strategic minimisation of ALAN to reduce its harmful impacts 380 Acknowledgemen

From a practical perspective, further research is required to determine how to minimise any impacts

We would like to thank Rowan Jacques-Hamilton for his valuable input into an earlier version of this



385

References

395

400

405

415

- Acerbi, A. & Nunn, C. L. (2011). Predation and the phasing of sleep: an evolutionary individual-based model. *Animal Behaviour*, 81, 801-811. https://doi.org/10.1016/j.anbehav.2011.01.015
- Alibhai, F. J., Tsimakouridze, E. V., Reitz, C. J., Pyle, W. G., & Martino, T. A. (2015). Consequences of circadian and sleep disturbances for the cardiovascular system. *Canadian Journal of Cardiology*, 31, 860-872. https://doi.org/10.1016/j.cjca.2015.01.015
 - Altimus, C. M., Güler, A. D., Villa, K. L., McNeill, D. S., Legates, T. A., & Hattar, S. (2008). Rods-cones and melanopsin detect light and dark to modulate sleep independent of image formation.
 Proceedings of the National Academy of Sciences of the United States of America, 105, 19998-20003. https://doi.org/10.1073/pnas.0808312105
 - Amlaner, C. J. & Ball, N. J. (1983). A synthesis of sleep in wild birds. *Behaviour*, 87, 85-119. https://doi.org/10.1163/156853983x00138
 - Aschoff, J. (1965). Circadian rhythms in man. *Science*, 148, 1427-1432. https://doi.org/10.1007/978-1-4899-6771-8_8
 - Aschoff, J. (1989). Temporal orientation circadian clocks in animals and humans. *Animal Behaviour*, 37, 881-896. https://doi.org/10.1016/0003-3472(89)90132-2
 - Aulsebrook, A. E., Jones, T. M., Rattenborg, N. C., Roth, T. C., II, & Lesku, J. A. (2016). Sleep ecophysiology: Integrating neuroscience and ecology. *Trends in Ecology & Evolution*, 31, 590-599. https://doi.org/10.1016/j.tree.2016.05.004
 - Axelrod, J., Wurtman, R. J., & Snyder, S. H. (1965). Control of hydroxyindole O-methyltransferase activity in rat pineal gland by environmental lighting. *Journal of Biological Chemistry*, 240, 949-954.
- Ayaki, M., Hattori, A., Maruyama, Y., Nakano, M., Yoshimura, M., Kitazawa, M., . . . Tsubota, K.
 (2016). Protective effect of blue-light shield eyewear for adults against light pollution from self-luminous devices used at night. *Chronobiology International*, 33, 134-139. https://doi.org/10.3109/07420528.2015.1119158
 - Bakken, L. E. & Bakken, G. S. (1977). American redstart feeding by artificial-light. Auk, 94, 373-374.
 - Beale, A. D., Pedrazzoli, M., Gonçalves, B. S. B., Beijamini, F., Duarte, N. E., Egan, K. J., . . . Roden, L. C. (2017). Comparison between an African town and a neighbouring village shows delayed, but



not decreased, sleep during the early stages of urbanisation. Scientific Reports, 7, 5697. https://doi.org/10.1038/s41598-017-05712-3

- Benca, R. M., Gilliland, M. A., & Obermeyer, W. H. (1998). Effects of lighting conditions on sleep and wakefulness in albino Lewis and pigmented Brown Norway rats. *Sleep*, 21, 451-460. https://doi.org/10.1093/sleep/21.5.451
- Berger, R. J. & Phillips, N. H. (1994). Constant light suppresses sleep and circadian-rhythms in pigeons without consequent sleep rebound in darkness. American Journal of Physiology-*Regulatory Integrative and Comparative Physiology*, 267, R945-R952.
- Berson, D., Dunn, F. A., & Takao, M. (2002). Phototransduction by retinal ganglion cells that set the 425 circadian clock. Science, 295, 1070-1073. https://doi.org/10.1126/science.1067262
 - , Weil, Z. M., Zhang, N., & Nelson, R. J. (2013). Dim light at night does not disrupt Borniger, J. C timing or quality of sleep in mice. Chronobiology International, 30, 1016-1023. https://doi.org/10.3109/07420528.2013.803196
- Brüning, A., Hölker, F., Franke, S., Preuer, T., & Kloas, W. (2015). Spotlight on fish: light pollution 430 affects circadian rhythms of European perch but does not cause stress. Science of the Total Environment, 511, 516-522. https://doi.org/10.1016/j.scitotenv.2014.12.094
 - Burgess, H.J. & Molina, T. A. (2014). Home lighting before usual bedtime impacts circadian timing: A field study. Photochemistry and Photobiology, 90, 723-726.
- Cajochen, C., Zeitzer, J. M., Czeisler, C. A., & Dijk, D. J. (2000). Dose-response relationship for light 435 intensity and ocular and electroencephalographic correlates of human alertness. Behavioural Brain Research, 115, 75-83. https://doi.org/10.1016/s0166-4328(00)00236-9
 - Calisi, R. M. & Bentley, G. E. (2009). Lab and field experiments: are they the same animal? Hormones and Behaviour, 56, 1-10. https://doi.org/10.1016/j.yhbeh.2009.02.010
 - Carrier, J. & Dumont, M. (1995). Sleep propensity and sleep architecture after bright light exposure at three different times of day. Journal of Sleep Research, 4, 202-211. https://doi.org/10.1111/j.1365-2869.1995.tb00171.x
 - Chang, A.-M., Aeschbach, D., Duffy, J. F., & Czeisler, C. A. (2014). Evening use of light-emitting eReaders negatively affects sleep, circadian timing and next-morning alertness. PNAS, 112, 1232-1237. https://doi.org/10.1073/pnas.1418490112
- 445 Chang, A. M., Santhi, N., St Hilaire, M., Gronfier, C., Bradstreet, D. S., Duffy, J. F., . . . Czeisler, C. A. (2012). Human responses to bright light of different durations. Journal of Physiology, 590, 3103-3112. https://doi.org/10.1113/jphysiol.2011.226555

This article is protected by copyright. All rights reserved.

420

440

Chang, A. M., Scheer, F., & Czeisler, C. A. (2011). The human circadian system adapts to prior photic history. *Journal of Physiology*, 589, 1095-1102.

https://doi.org/10.1113/jphysiol.2010.201194

450

470

- Chang, A. M., Scheer, F., Czeisler, C. A., & Aeschbach, D. (2013). Direct effects of light on alertness, vigilance, and the waking electroencephalogram in humans depend on prior light history. *Sleep*, 36, 1239-1246. https://doi.org/10.5665/sleep.2894
- Chellappa, S. L., Steiner, R., Oelhafen, P., Lang, D., Götz, T., Krebs, J., & Cajochen, C. (2013). Acute
 exposure to evening blue-enriched light impacts on human sleep. *Journal of Sleep Research*, 22, 573-580. https://doi.org/10.1111/jsr.12050
 - Chen, S., Reichert, S., Singh, C., Oikonomou, G., Rihel, J., & Prober, D. A. (2017). Light-dependent regulation of sleep and wake states by prokineticin 2 in zebrafish. *Neuron*, 95, 153-168 e156. https://doi.org/10.1016/j.neuron.2017.06.001
- 460 Chepesiuk, R. (2009). Missing the dark health effects of light pollution. *Environmental Health Perspectives*, 117, A20-A27. https://doi.org/10.1289/ehp.117-a20
 - Cho, C. H., Lee, H. J., Yoon, H. K., Kang, S. G., Bok, K. N., Jung, K. Y., . . . Lee, E. I. (2016). Exposure to dim artificial light at night increases REM sleep and awakenings in humans. *Chronobiology International*, 33, 117-123. https://doi.org/10.3109/07420528.2015.1108980
- Cho, J. R., Joo, E. Y., Koo, D. L., & Hong, S. B. (2013). Let there be no light: the effect of bedside light on sleep quality and background electroencephalographic rhythms. *Sleep Medicine*, 14, 1422-1425. https://doi.org/10.1016/j.sleep.2013.09.007
 - Cho, Y., Ryu, S. H., Lee, B. R., Kim, K. H., Lee, E., & Choi, J. (2015). Effects of artificial light at night on human health: A literature review of observational and experimental studies applied to exposure assessment. *Chronobiology International*, 32, 1294-1310. https://doi.org/10.3109/07420528.2015.1073158
 - Czeisler, C. (2013). Casting light on sleep deficiency. *Nature*, 497, S13-S13. https://doi.org/10.1038/497S13a
- Czeisler, C. A., Allan, J. S., Strogatz, S. H., Ronda, J. M., Sánchez, R., Ríos, D. C., . . . Kronauer, R. E.
 (1986). Bright light resets the human circadian pacemaker independent of the timing of the sleep-wake cycle. *Science*, 233, 667-671. https://doi.org/10.1126/science.3726555
 - Da Silva, A., de Jong, M., van Grunsven, R. H. A., Visser, M. E., Kempenaers, B., & Spoelstra, K. (2017a). Experimental illumination of a forest: no effects of lights of different colours on the



onset of the dawn chorus in songbirds. *R Soc Open Sci,* 4, 160638. https://doi.org/10.1098/rsos.160638

480

490

505

- Da Silva, A., Diez-Méndez, D., & Kempenaers, B. (2017b). Effects of experimental night lighting on the daily timing of winter foraging in common European songbirds. *Journal of Avian Biology*, https://doi.org/10.1111/jav.01232]
- Da Silva, A. & Kempenaers, B. (2017). Singing from North to South: Latitudinal variation in timing of
 dawn singing under natural and artificial light conditions. *Journal of Animal Ecology*, 86,
 1286-1297. https://doi.org/10.1111/1365-2656.12739
 - Da Silva, A., Samplonius, J. M., Schlicht, E., Valcu, M., & Kempenaers, B. (2014). Artificial night lighting rather than traffic noise affects the daily timing of dawn and dusk singing in common European songbirds. *Behavioral Ecology*, 25, 1037-1047. https://doi.org/10.1093/beheco/aru103
 - Da Silva, A., Valcu, M., & Kempenaers, B. (2016). Behavioural plasticity in the onset of dawn song under intermittent experimental night lighting. *Animal Behaviour*, 117, 155-165. https://doi.org/10.1016/j.anbehav.2016.05.001
- Davies, T. W. & Smyth, T. (2018). Why artificial light at night should be a focus for global change
 research in the 21st century. *Global Change Biology*, 24, 872-882. https://doi.org/10.1111/gcb.13927
 - Dawson, D. & Reid, K. (1997). Fatigue, alcohol and performance impairment. *Nature*, 388, 235-235. https://doi.org/10.1038/40775
- de Jong, M., Jeninga, L., Ouyang, J. Q., van Oers, K., Spoelstra, K., & Visser, M. E. (2016). Dose dependent responses of avian daily rhythms to artificial light at night. *Physiology & Behaviour*, 155, 172-179. https://doi.org/10.1016/j.physbeh.2015.12.012
 - de la Iglesia, H. O., Fernández-Duque, E., Golombek, D. A., Lanza, N., Duffy, J. F., Czeisler, C. A., & Valeggia, C. R. (2015). Access to electric light is associated with shorter sleep duration in a traditionally hunter-gatherer community. *Journal of Biological Rhythms*, https://doi.org/10.1177/0748730415590702
 - DeCoursey, P. J., Walker, J. K., & Smith, S. A. (2000). A circadian pacemaker in free-living chipmunks: essential for survival? *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 186, 169-180. https://doi.org/10.1007/s003590050017



	Diekelmann, S. & Born, J. (2010). The memory function of sleep. <i>Nature Reviews: Neuroscience</i> , 11,
	114-126. https://doi.org/10.1038/nrn2762
515	Dijk, D. L. & Archer, S. N. (2009). Light, sleep, and circadian rhythms: Together again. <i>PLoS Biology</i> , 7, e1000145. https://doi.org/10.1371/journal.pbio.1000145
	Dimovski, A. M. & Robert, K. A. (2018). Artificial light pollution: Shifting spectral wavelengths to mitigate physiological and health consequences in a nocturnal marsupial mammal. <i>Journal of</i> <i>Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 1-9. https://doi.org/doi:10.1002/jez.2163
520	Dominoni, D. M., Borniger, J. C., & Nelson, R. J. (2016). Light at night, clocks and health: from humans to wild organisms. <i>Biology Letters</i> , 12, 20160015. https://doi.org/10.1098/rsbl.2016.0015
525	Dominoni, D. M., Carmona-Wagner, E. O., Hofmann, M., Kranstauber, B., & Partecke, J. (2014). Individual-based measurements of light intensity provide new insights into the effects of artificial light at night on daily rhythms of urban-dwelling songbirds. <i>Journal of Animal</i> <i>Ecology</i> , 83, 681-692. https://doi.org/10.1111/1365-2656.12150
530	Dominoni, D. M., Goymann, W., Helm, B., & Partecke, J. (2013a). Urban-like night illumination reduces melatonin release in European blackbirds (<i>Turdus merula</i>): implications of city life for biological time-keeping of songbirds. <i>Frontiers in Zoology</i> , 10, https://doi.org/10.1186/1742-9994-10-60
	Dominoni, D. M., Helm, B., Lehmann, M., Dowse, H. B., & Partecke, J. (2013b). Clocks for the city: circadian differences between forest and city songbirds. <i>Proceedings of the Royal Society B-Biological Sciences</i> , 280, 20130593. https://doi.org/10.1098/rspb.2013.0593
535	Ekirch, A. R. (2001). Sleep we have lost: Pre-industrial slumber in the British Isles. <i>American Historical Review</i> , 106, 343-386. https://doi.org/10.2307/2651611
	Ekirch, A. R. (2015). The modernization of western sleep: Or, does insomnia have a history? <i>Past & Present</i> , 226, 149-192. https://doi.org/10.1093/pastj/gtu040
	Ekirch, A. R. (2016). Segmented sleep in preindustrial societies. <i>Sleep</i> , 39, 715-716. htt <mark>ps://doi</mark> .org/10.5665/sleep.5558

Derégnaucourt, S., Mitra, P. P., Fehér, O., Pytte, C., & Tchernichovski, O. (2005). How sleep affects

the developmental learning of bird song. Nature, 433, 710-716.

https://doi.org/10.1038/nature03275

510

540	Erren, T. C. & Reiter, R. J. (2009). Light hygiene: Time to make preventive use of insights old and new
	into the nexus of the drug light, melatonin, clocks, chronodisruption and public health.
	Medical Hypotheses, 73, 537-541. https://doi.org/10.1016/j.mehy.2009.06.003

Falchi, F., Cinzano, P., Duriscoe, D., Kyba, C. C. M., Elvidge, C. D., Baugh, K., . . . Furgoni, R. (2016). The new world atlas of artificial night sky brightness. *Science Advances*, 2, https://doi.org/10.1126/sciadv.1600377

	-	-	-	_
	-	-		
				_ 1

545

550

560

570

- Fisher, S. P., Foster, R. G., & Peirson, S. N. (2013). The circadian control of sleep. *Handbook of Experimental Pharmacology*, 157-183. https://doi.org/10.1007/978-3-642-25950-0_7
- Fuchs, T., Haney, A., Jechura, T. J., Moore, F. R., & Bingman, V. P. (2006). Daytime naps in nightmigrating birds: behavioural adaptation to seasonal sleep deprivation in the Swainson's thrush, *Catharus ustulatus*. *Animal Behaviour*, 72, 951-958. https://doi.org/10.1016/j.anbehav.2006.03.008
 - Gandhi, A. V., Mosser, E. A., Oikonomou, G., & Prober, D. A. (2015). Melatonin is required for the circadian regulation of sleep. *Neuron*, 85, 1193-1199. https://doi.org/10.1016/j.neuron.2015.02.016
- Gaston, K. J., Davies, T. W., Bennie, J., & Hopkins, J. (2012). Reducing the ecological consequences of night-time light pollution: options and developments. *Journal of Applied Ecology*, 49, 1256-1266. https://doi.org/10.1111/j.1365-2664.2012.02212.x
 - Gaston, K. J., Davies, T. W., Nedelec, S. L., & Holt, L. A. (2017). Impacts of artificial light at night on biological timings. *Annual Review of Ecology, Evolution, and Systematics*, 48, 49-68. https://doi.org/10.1146/annurev-ecolsys-110316-022745
 - Gaston, K. J., Duffy, J. P., Gaston, S., Bennie, J., & Davies, T. W. (2014). Human alteration of natural light cycles: causes and ecological consequences. *Oecologia*, 176, 917-931. https://doi.org/10.1007/s00442-014-3088-2
- Gradisar, M., Wolfson, A. R., Harvey, A. G., Hale, L., Rosenberg, R., & Czeisler, C. A. (2013). The sleep
 and technology use of Americans: Findings from the National Sleep Foundation's 2011 Sleep
 in America poll. *Journal of Clinical Sleep Medicine*, 9, 1291-1299. https://doi.org/10.5664/jcsm.3272
 - Greives, T. J., Kingma, S. A., Kranstauber, B., Mortega, K., Wikelski, M., van Oers, K., . . . Sockman, K. (2015). Costs of sleeping in: circadian rhythms influence cuckoldry risk in a songbird. *Functional Ecology*, n/a-n/a. https://doi.org/10.1111/1365-2435.12440



- Heath, M., Sutherland, C., Bartel, K., Gradisar, M., Williamson, P., Lovato, N., & Micic, G. (2014). Does one hour of bright or short-wavelength filtered tablet screenlight have a meaningful effect on adolescents' pre-bedtime alertness, sleep, and daytime functioning? *Chronobiology International*, 31, 496-505. https://doi.org/10.3109/07420528.2013.872121
- 575 Horne, J. (2013). Why REM sleep? Clues beyond the laboratory in a more challenging world. Biological Psychology, 92, 152-168. https://doi.org/10.1016/j.biopsycho.2012.10.010
 - Huber, R., Ghilardi, M. F., Massimini, M., Ferrarelli, F., Riedner, B. A., Peterson, M. J., & Tononi, G.
 (2006). Arm immobilization causes cortical plastic changes and locally decreases sleep slow wave activity. *Nature Neuroscience*, 9, 1169-1176. https://doi.org/10.1038/nn1758
- 580 Hysing, M., Pallesen, S., Stormark, K. M., Jakobsen, R., Lundervold, A. J., & Sivertsen, B. (2015). Sleep and use of electronic devices in adolescence: Results from a large population-based study. BMJ Open, 5, e006748. https://doi.org/10.1136/bmjopen-2014-006748
 - Imeri, L. & Opp, M. R. (2009). How (and why) the immune system makes us sleep. *Nature Reviews Neuroscience*, 10, 199-210. https://doi.org/10.1038/nrn2576
- 585 Jakle, J. A. (2001). City Lights: Illuminating the American Night. Baltimore: John Hopkins University Press. [in
 - Joiner, W. J. (2016). Unraveling the evolutionary determinants of sleep. *Current Biology*, 26, R1073-R1087. https://doi.org/10.1016/j.cub.2016.08.068
- Kasahara, T., Abe, K., Mekada, K., Yoshiki, A., & Kato, T. (2010). Genetic variation of melatonin
 productivity in laboratory mice under domestication. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 6412-6417. https://doi.org/10.1073/pnas.0914399107
 - Kayser, M. S., Yue, Z. F., & Sehgal, A. (2014). A critical period of sleep for development of courtship circuitry and behavior in *Drosophila*. *Science*, 344, 269-274. https://doi.org/10.1126/science.1250553
 - Kempenaers, B., Borgstrom, P., Loës, P., Schlicht, E., & Valcu, M. (2010). Artificial night lighting affects dawn song, extra-pair siring success, and lay date in songbirds. *Current Biology*, 20, 1735-1739. https://doi.org/10.1016/j.cub.2010.08.028
- Knop, E., Zoller, L., Ryser, R., Gerpe, C., Horler, M., & Fontaine, C. (2017). Artificial light at night as a new threat to pollination. *Nature*, 548, 206-209. https://doi.org/10.1038/nature23288



Kronfeld-Schor, N. & Dayan, T. (2003). Partitioning of time as an ecological resource. Annual Review
of Ecology, Evolution, and Systematics, 34, 153-181.
https://doi.org/10.1146/annurev.ecolsys.34.011802.132435

- Kronfeld-Schor, N., Visser, M. E., Salis, L., & van Gils, J. A. (2017). Chronobiology of interspecific
 interactions in a changing world. *Philosophical Transactions of the Royal Society of London Series B: Biological Sciences*, 372, https://doi.org/10.1098/rstb.2016.0248
 - Kyba, C. C. M., Kuester, T., Sánchez de Miguel, A., Baugh, K., Jechow, A., Hölker, F., . . . Guanter, L. (2017). Artificially lit surface of Earth at night increasing in radiance and extent. *Science Advances*, 3, https://doi.org/10.1126/sciadv.1701528
- Lesku, J. A., Meyer, L. C. R., Fuller, A., Maloney, S. K., Dell'Omo, G., Vyssotski, A. L., & Rattenborg, N. C. (2011a). Ostriches sleep like platypuses. *PloS One*, 6, e23203. https://doi.org/10.1371/journal.pone.0023203
 - Lesku, J. A. & Rattenborg, N. C. (2014). Avian sleep. *Current Biology*, 24, R12-14. https://doi.org/10.1016/j.cub.2013.10.005
- Lesku, J. A., Rattenborg, N. C., Valcu, M., Vyssotski, A. L., Kuhn, S., Kuemmeth, F., . . . Kempenaers, B. (2012). Adaptive sleep loss in polygynous pectoral sandpipers. *Science*, 337, 1654-1658. https://doi.org/10.1126/science.1220939
 - Lesku, J. A., Roth, T. C., Amlaner, C. J., & Lima, S. L. (2006). A phylogenetic analysis of sleep architecture in mammals: the integration of anatomy, physiology, and ecology. *American Naturalist*, 168, 441-453. https://doi.org/10.1086/506973
 - Lesku, J. A., Roth, T. C., Rattenborg, N. C., Amlaner, C. J., & Lima, S. L. (2009). History and future of comparative analyses in sleep research. *Neuroscience and Biobehavioral Reviews*, 33, 1024-1036. https://doi.org/10.1016/j.neubiorev.2009.04.002
- Lesku, J. A., Vyssotski, A. L., Martinez-Gonzalez, D., Wilzeck, C., & Rattenborg, N. C. (2011b). Local
 sleep homeostasis in the avian brain: convergence of sleep function in mammals and birds?
 Proceedings of the Royal Society B-Biological Sciences, 278, 2419-2428.
 https://doi.org/10.1098/rspb.2010.2316
 - Lima, S. L., Rattenborg, N. C., Lesku, J. A., & Amlaner, C. J. (2005). Sleeping under the risk of predation. *Animal Behaviour*, 70, 723-736. https://doi.org/10.1016/j.anbehav.2005.01.008
- 630 Longcore, T. & Rich, C. (2004). Ecological light pollution. *Frontiers in Ecology and the Environment*, 2, 191-198. https://doi.org/10.2307/3868314



- Marino, M., Li, Y., Rueschman, M. N., Winkelman, J. W., Ellenbogen, J. M., Solet, J. M., . . . Buxton, O. M. (2013). Measuring sleep: accuracy, sensitivity, and specificity of wrist actigraphy compared to polysomnography. *Sleep*, 36, 1747-1755. https://doi.org/10.5665/sleep.3142
- Martinez-Gonzalez, D., Lesku, J. A., & Rattenborg, N. C. (2008). Increased EEG spectral power density during sleep following short-term sleep deprivation in pigeons (*Columba livia*): evidence for avian sleep homeostasis. *Journal of Sleep Research*, 17, 140-153. https://doi.org/10.1111/j.1365-2869.2008.00636.x
- Martino, T. A., Oudit, G. Y., Herzenberg, A. M., Tata, N., Koletar, M. M., Kabir, G. M., . . . Sole, M. J.
 (2008). Circadian rhythm disorganization produces profound cardiovascular and renal disease in hamsters. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 294, R1675-1683. https://doi.org/10.1152/ajpregu.00829.2007
 - Nath, R. D., Bedbrook, C. N., Abrams, M. J., Basinger, T., Bois, J. S., Prober, D. A., . . . Goentoro, L. (2017). The jellyfish *Cassiopea* exhibits a sleep-like state. *Current Biology*, 27, 2984-+. https://doi.org/10.1016/j.cub.2017.08.014
 - Navara, K. J. & Nelson, R. J. (2007). The dark side of light at night: physiological, epidemiological, and ecological consequences. *Journal of Pineal Research*, 43, 215-224. https://doi.org/10.1111/j.1600-079X.2007.00473.x
- Nordt, A. & Klenke, R. (2013). Sleepless in town drivers of the temporal shift in dawn song in urban650European blackbirds. PloS One, 8, e71476. https://doi.org/10.1371/journal.pone.0071476
 - Ohayon, M. M. & Milesi, C. (2016). Artificial outdoor nighttime lights associate with altered sleep behavior in the American general population. *Sleep*, 39, 1311-1320. https://doi.org/10.5665/sleep.5860
- Omond, S., Ey, L. M. T., Beaton, R., Storm, J. J., Hale, M. W., & Lesku, J. A. (2017). Inactivity is
 nycthemeral, endogenously generated, homeostatically regulated, and melatonin
 modulated in a free-living platyhelminth flatworm. *Sleep*, 40, https://doi.org/10.1093/sleep/zsx124
 - Ouyang, J. Q., de Jong, M., van Grunsven, R. H. A., Matson, K. D., Haussmann, M. F., Meerlo, P., . . . Spoelstra, K. (2017). Restless roosts: Light pollution affects behavior, sleep, and physiology in a free-living songbird. *Global Change Biology*, https://doi.org/10.1111/gcb.13756
 - Panda, S., Hogenesch, J. B., & Kay, S. A. (2002). Circadian rhythms from flies to human. *Nature*, 417, 329-335. https://doi.org/10.1038/417329a



660

- Paquet, J., Kawinska, A., & Carrier, J. (2007). Wake detection capacity of actigraphy during sleep. *Sleep*, 30, 1362-1369. https://doi.org/10.1093/sleep/30.10.1362
- Pauley, S. M. (2004). Lighting for the human circadian clock: recent research indicates that lighting has become a public health issue. *Medical Hypotheses*, 63, 588-596. https://doi.org/10.1016/j.mehy.2004.03.020

690

- Peixoto, C. A. T., da Silva, A. G. T., Carskadon, M. A., & Louzada, F. M. (2009). Adolescents living in homes without electric lighting have earlier sleep times. *Behavioral Sleep Medicine*, 7, 73-80. https://doi.org/10.1080/15402000902762311
 - Phillips, D. J., Savenkova, M. I., & Karatsoreos, I. N. (2015). Environmental disruption of the circadian clock leads to altered sleep and immune responses in mouse. *Brain Behavior and Immunity*, 47, 14-23. https://doi.org/10.1016/j.bbi.2014.12.008
- Phillips, N. H. & Berger, R. J. (1992). Melatonin infusions restore sleep suppressed by continuous
 bright light in pigeons. *Neuroscience Letters*, 145, 217-220. https://doi.org/10.1016/0304-3940(92)90026-4
 - Raap, T., Pinxten, R., & Eens, M. (2015). Light pollution disrupts sleep in free-living animals. *Scientific Reports*, 5, 13557. https://doi.org/10.1038/srep13557
- Raap, T., Pinxten, R., & Eens, M. (2016). Artificial light at night disrupts sleep in female great tits
 (*Parus major*) during the nestling period, and is followed by a sleep rebound. *Environmental Pollution*, 215, 125-134. https://doi.org/10.1016/j.envpol.2016.04.100
 - Raap, T., Pinxten, R., & Eens, M. (2017). Rigorous field experiments are essential to understand the genuine severity of light pollution and to identify possible solutions. *Global Change Biology*, https://doi.org/10.1111/gcb.13843
- Raap, T., Pinxten, R., & Eens, M. (2018). Artificial light at night causes an unexpected increase in oxalate in developing male songbirds. *Conservation Physiology*, 6, coy005. https://doi.org/10.1093/conphys/coy005
 - Raap, T., Sun, J., Pinxten, R., & Eens, M. (2017). Disruptive effects of light pollution on sleep in freeliving birds: Season and/or light intensity-dependent? *Behavioural Processes*, 144, 13-19. https://doi.org/10.1016/j.beproc.2017.08.011
 - Randler, C. (2014). Sleep, sleep timing and chronotype in animal behaviour. *Animal Behaviour*, 94, 161-166. https://doi.org/10.1016/j.anbehav.2014.05.001
 - Rångtell, F. H., Ekstrand, E., Rapp, L., Lagermalm, A., Liethof, L., Búcaro, M. O., . . . Benedict, C. (2016). Two hours of evening reading on a self-luminous tablet vs. reading a physical book

	evolution and functions of sleep. Philosophical Transactions of the Royal Society B-Biological
700	Sciences, 372, https://doi.org/10.1098/rstb.2016.0251
	Rattenborg, N. C., Mandt, B. H., Obermeyer, W. H., Winsauer, P. J., Huber, R., Wikelski, M., & Benca,
	R. M. (2004). Migratory sleeplessness in the white-crowned sparrow (<i>Zonotrichia leucophrys</i>
	gambelii). PLoS Biology, 2, E212. https://doi.org/10.1371/journal.pbio.0020212
	Rattenborg, N. C., Obermeyer, W. H., Vacha, E., & Benca, R. M. (2005). Acute effects of light and
705	darkness on sleep in the pigeon (<i>Columba livia</i>). <i>Physiology & Behaviour,</i> 84, 635-640. https://doi.org/10.1016/j.physbeh.2005.02.009
	Rattenborg, N. C., Voirin, B., Cruz, S. M., Tisdale, R., Dell'Omo, G., Lipp, H. P., Vyssotski, A. L.
	(2016). Evidence that birds sleep in mid-flight. <i>Nature Communications</i> , 7, 12468.
	https://doi.org/10.1038/ncomms12468
710	Rattenborg N.C. Voirin B. Vyssotski A. L. Kays B. W. Spoelstra, K. Kuemmeth, F. Wikelski
,10	M. (2008). Sleeping outside the box: electroencephalographic measures of sleep in sloths
	inhabiting a rainforest. <i>Biology Letters</i> , 4, 402-405. https://doi.org/10.1098/rsbl.2008.0203
	Reiter, R. J., Tan, D. X., & Fuentes-Broto, L. (2010). Melatonin: a multitasking molecule. Progress in
	Brain Research, 181, 127-151. https://doi.org/10.1016/s0079-6123(08)81008-4
715	Robert, K. A., Lesku, J. A., Partecke, J., & Chambers, B. (2015). Artificial light at night desynchronises
	strictly seasonal reproduction in a wild mammal. Proceedings of the Royal Society B-
	Biological Sciences, 282, 20151745. https://doi.org/10.1098/rspb.2015.1745
	Roth, T. C., Rattenborg, N. C., & Pravosudov, V. V. (2010). The ecological relevance of sleep: the
	trade-off between sleep, memory and energy conservation. Philosophical Transactions of
720	the Royal Society B-Biological Sciences, 365, 945-959.

does not alter sleep after daytime bright light exposure. *Sleep Medicine*, 23, 111-118.

Rattenborg, N. C., de la Iglesia, H. O., Kempenaers, B., Lesku, J. A., Meerlo, P., & Scriba, M. F. (2017). Sleep research goes wild: new methods and approaches to investigate the ecology,

https://doi.org/10.1016/j.sleep.2016.06.016

https://doi.org/10.1098/rstb.2009.0209

Russ, A., Rüger, A., & Klenke, R. (2014). Seize the night: European blackbirds (*Turdus merula*) extend their foraging activity under artificial illumination. *Journal of Ornithology*, 156, 123-131. https://doi.org/10.1007/s10336-014-1105-1



695

- 725 Samson, D. R., Crittenden, A. N., Mabulla, I. A., Mabulla, A. Z., & Nunn, C. L. (2017a). Hadza sleep biology: Evidence for flexible sleep-wake patterns in hunter-gatherers. *American Journal of Physical Anthropology*, https://doi.org/10.1002/ajpa.23160
 - Samson, D. R., Manus, M. B., Krystal, A. D., Fakir, E., Yu, J. J., & Nunn, C. L. (2017b). Segmented sleep in a nonelectric, small-scale agricultural society in Madagascar. *American Journal of Human Biology*, 29, https://doi.org/10.1002/ajhb.22979
 - Santhi, N., Thorne, H. C., van der Veen, D. R., Johnsen, S., Mills, S. L., Hommes, V., . . . Dijk, D. J. (2012). The spectral composition of evening light and individual differences in the suppression of melatonin and delay of sleep in humans. *Journal of Pineal Research*, 53, 47-59. https://doi.org/10.1111/j.1600-079X.2011.00970.x
- Santos, C. D., Miranda, A. C., Granadeiro, J. P., Lourenço, P. M., Saraiva, S., & Palmeirim, J. M. (2010).
 Effects of artificial illumination on the nocturnal foraging of waders. *Acta Oecologica*, 36, 166-172. https://doi.org/10.1016/j.actao.2009.11.008
 - Schmidt, M. H. (2014). The energy allocation function of sleep: a unifying theory of sleep, torpor, and continuous wakefulness. *Neuroscience and Biobehavioral Reviews*, 47, 122-153. https://doi.org/10.1016/j.neubiorev.2014.08.001
 - Schmidt, M. H., Swang, T. W., Hamilton, I. M., & Best, J. A. (2017). State-dependent metabolic partitioning and energy conservation: A theoretical framework for understanding the function of sleep. *PloS One*, 12, e0185746. https://doi.org/10.1371/journal.pone.0185746
- Scriba, M. F., Ducrest, A. L., Henry, I., Vyssotski, A. L., Rattenborg, N. C., & Roulin, A. (2013). Linking
 melanism to brain development: expression of a melanism-related gene in barn owl feather
 follicles covaries with sleep ontogeny. *Frontiers in Zoology*, 10, https://doi.org/10.1186/1742-9994-10-42
 - Spoelstra, K., Verhagen, I., Meijer, D., & Visser, M. E. (2018). Artificial light at night shifts daily activity patterns but not the internal clock in the great tit (*Parus major*). *Proceedings: Biological Sciences*, 285, https://doi.org/10.1098/rspb.2017.2751
 - Steinmeyer, C., Schlelzeth, H., Mueller, J. C., & Kempenaers, B. (2010). Variation in sleep behaviour in free-living blue tits, *Cyanistes caeruleus*: effects of sex, age and environment. *Animal Behaviour*, 80, 853-864. https://doi.org/10.1016/j.anbehav.2010.08.005
 - Stenvers, D. J., van Dorp, R., Foppen, E., Mendoza, J., Opperhuizen, A. L., Fliers, E., . . . Deboer, T. (2016). Dim light at night disturbs the daily sleep-wake cycle in the rat. *Scientific Reports*, 6, 35662. https://doi.org/10.1038/srep35662



740

750

755

- Stephenson, R., Lim, J., Famina, S., Caron, A. M., & Dowse, H. B. (2012). Sleep-wake behavior in the rat: ultradian rhythms in a light-dark cycle and continuous bright light. *Journal of Biological Rhythms*, 27, 490-501. https://doi.org/10.1177/0748730412461247
- Stevens, R. G., Blask, D. E., Brainard, G. C., Hansen, J., Lockley, S. W., Provencio, I., . . . Reinlib, L. (2007). Meeting report: The role of environmental lighting and circadian disruption in cancer and other diseases. *Environmental Health Perspectives*, 115, 1357-1362.
 https://doi.org/10.1289/ehp.10200
- Stevens, R. G. & Zhu, Y. (2015). Electric light, particularly at night, disrupts human circadian
 rhythmicity: is that a problem? *Philosophical Transactions of the Royal Society B-Biological Sciences*, 370, 20140120. https://doi.org/10.1098/rstb.2014.0120
 - Stracey, C. M., Wynn, B., & Robinson, S. K. (2014). Light pollution allows the northern mockingbird (*Mimus polyglottos*) to feed nestlings after dark. *The Wilson Journal of Ornithology*, 126, 366-369. https://doi.org/10.1676/13-107.1
- Stuber, E. F., Baumgartner, C., Dingemanse, N. J., Kempenaers, B., & Mueller, J. C. (2016). Genetic correlates of individual differences in sleep behavior of free-living great tits (*Parus major*).
 G3 (*Bethesda*), 6, 599-607. https://doi.org/10.1534/g3.115.024216
 - Sun, J., Raap, T., Pinxten, R., & Eens, M. (2017). Artificial light at night affects sleep behaviour differently in two closely related songbird species. *Environmental Pollution*, 231, 882-889. <u>https://doi.org/10.1016/j.envpol.2017.08.098</u>
 - Tan, D. X., Hardeland, R., Manchester, L. C., Paredes, S. D., Korkmaz, A., Sainz, R. M., . . . Reiter, R. J. (2010). The changing biological roles of melatonin during evolution: from an antioxidant to signals of darkness, sexual selection and fitness. *Biological Reviews*, 85, 607-623. https://doi.org/10.1111/j.1469-185X.2009.00118.x
- Tobler, I. (2011). Phylogeny of sleep regulation. In: Kryger MH, Roth T, Dement WC, editors.
 Principles and Practice of Sleep Medicine, Fifth Edition: Elsevier Health Sciences. p 112-125.
 - Tobler, I., Franken, P., Alföldi, P., & Borbély, A. A. (1994). Room light impairs sleep in the albino rat. Behavioural Brain Research, 63, 205-211. https://doi.org/10.1016/0166-4328(94)90092-2
- van der Lely, S., Frey, S., Garbazza, C., Wirz-Justice, A., Jenni, O. G., Steiner, R., . . . Schmidt, C. (2015).
 Blue blocker glasses as a countermeasure for alerting effects of evening light-emitting diode screen exposure in male teenagers. *Journal of Adolescent Health*, 56, 113-119. https://doi.org/10.1016/j.jadohealth.2014.08.002



- Van Dongen, H. P. A., Maislin, G., Mullington, J. M., & Dinges, D. F. (2003). The cumulative cost of additional wakefulness: dose-response effects on neurobehavioral functions and sleep physiology from chronic sleep restriction and total sleep deprivation. *Sleep*, 26, 117-126. https://doi.org/10.1093/sleep/26.2.117
 - Voirin, B., Scriba, M. F., Martinez-Gonzalez, D., Vyssotski, A. L., Wikelski, M., & Rattenborg, N. C.
 (2014). Ecology and neurophysiology of sleep in two wild sloth species. *Sleep*, 37, 753-761.
 https://doi.org/10.5665/sleep.3584
- 795 Vyazovskiy, V. V. & Delogu, A. (2014). NREM and REM Sleep: complementary roles in recovery after wakefulness. *Neuroscientist*, 20, 203-219. https://doi.org/10.1177/1073858413518152
 - Vyssotski, A. L., Dell'Omo, G., Dell'Ariccia, G., Abramchuk, A. N., Serkov, A. N., Latanov, A. V., . . . Lipp, H. P. (2009). EEG responses to visual landmarks in flying pigeons. *Current Biology*, 19, 1159-1166. https://doi.org/10.1016/j.cub.2009.05.070
- Wams, E. J., Woelders, T., Marring, I., van Rosmalen, L., Beersma, D. G. M., Gordijn, M. C. M., & Hut,
 R. A. (2017). Linking light exposure and subsequent sleep: A field polysomnography study in humans. *Sleep*, 40, https://doi.org/10.1093/sleep/zsx165
 - Wehr, T. A. (1992). In short photoperiods, human sleep is biphasic. *Journal of Sleep Research*, 1, 103-107, https://doi.org/10.1111/j.1365-2869.1992.tb00019.x
- Weljie, A. M., Meerlo, P., Goel, N., Sengupta, A., Kayser, M. S., Abel, T., . . . Sehgal, A. (2015). Oxalic
 acid and diacylglycerol 36:3 are cross-species markers of sleep debt. *PNAS*, 112, 2569-2574. https://doi.org/10.1073/pnas.1417432112
- Westerlund, A., Lagerros, Y. T., Kecklund, G., Axelsson, J., & Akerstedt, T. (2016). Relationships
 between questionnaire ratings of sleep quality and polysomnography in healthy adults.
 Behavioural Sleep Medicine, 14, 185-199. https://doi.org/10.1080/15402002.2014.974181
 - Winnebeck, E. C., Fischer, D., Leise, T., & Roenneberg, T. (2017). Dynamics and ultradian structure of human sleep in real life. *Current Biology*, https://doi.org/10.1016/j.cub.2017.11.063
 - Wright, K. P., McHill, A. W., Birks, B. R., Griffin, B. R., Rusterholz, T., & Chinoy, E. D. (2013).
 Entrainment of the human circadian clock to the natural light-dark cycle. *Current Biology*, 23, 1554-1558. https://doi.org/10.1016/j.cub.2013.06.039
 - Xie, L. L., Kang, H. Y., Xu, Q. W., Chen, M. J., Liao, Y. H., Thiyagarajan, M., . . . Nedergaard, M. (2013).
 Sleep drives metabolite clearance from the adult brain. *Science*, 342, 373-377. https://doi.org/10.1126/science.1241224



815

Yadav, A., Verma, P., & Singh, S. (2017). Going beyond the limits: effect of clock disruption on human health. *Biological Rhythm Research*, 48, 693-700.

https://doi.org/10.1080/09291016.2017.1345428

Yetish, G., Kaplan, H., Gurven, M., Wood, B., Pontzer, H., Manger, P. R., . . . Siegel, J. M. (2015).
Natural sleep and its seasonal variations in three pre-industrial societies. *Current Biology*, 25, 2862-2868. https://doi.org/10.1016/j.cub.2015.09.046

825

820





Author Ma

University Library



A gateway to Melbourne's research publications

Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

Aulsebrook, AE;Jones, TM;Mulder, RA;Lesku, JA

Title:

Impacts of artificial light at night on sleep: A review and prospectus

Date:

2018-10

Citation:

Aulsebrook, A. E., Jones, T. M., Mulder, R. A. & Lesku, J. A. (2018). Impacts of artificial light at night on sleep: A review and prospectus. JOURNAL OF EXPERIMENTAL ZOOLOGY PART A-ECOLOGICAL AND INTEGRATIVE PHYSIOLOGY, 329 (8-9), pp.409-418. https://doi.org/10.1002/jez.2189.

Persistent Link: http://hdl.handle.net/11343/284035